

Jarrahdale
Heating & Cooling

JARRAHDAL
10
year
WARRANTY



BUILT TO AUSTRALIAN STANDARDS AS/NZS 4013 1999



Keep out the COLD with Solid Fuel Heating
at Factory Direct Prices from Jarrahdale!

17 Malcolm Rd, Maddington | 08 9493 6512 | www.jhc.com.au

WELCOME WARMTH HOME

JARRAHDALÉ HEATING AND COOLING has been manufacturing Solid Fuel Wood Heaters for over 30 years. We are the only manufacturer in WA offering premium quality wood and gas heaters, made to suit local conditions.

One of our popular designs is the innovative 2-Door 2-Way heater, designed to heat two adjoining rooms with a view of the fire from both rooms.

Jarrahdale Heating and Cooling manufacture 9 different sizes of wood heaters, including radiant, in-built and convection models.

Some features that have made Jarrahdale heaters a strong name in Western Australia include:

- 10 Year Firebox Guarantee for your assurance
- Fire Brick Lined Base
- Angled, wide-view, impact resistant glass door
- Advanced burn firebox for increased heat output & better emissions
- Large cooktop surface
- Heavy duty 6mm (1/4") steel firebox construction
- Airtight seal for effective overnight burning
- Removable baffle
- Safe from ash spillage or falling logs when opening the door due to the back sloping firebox
- Stainless steel air tube
- Certified to the latest emissions standards
- Built to Australian Standards AS/NZS 4013 1999
- Optional two speed fan
- Optional hot water booster
- Option 24crt Gold Door
- Choice of 4 stylish colours



INNOVATOR

Winner of the Australian Design Award, this medium sized convection heater is designed to heat approximately 232sqm. The Innovator is our biggest selling wood heater with a stylish design and wide angled glass door giving you the perfect view of your roaring fire. Available in a range of 4 colours.

SPECIFICATIONS:

Width: **730mm**

Height: **695mm**

Depth: **530mm**

Weight: **152kg**

Heating Area: **232sq/m (25 squares)**

Max. Log Size: **530mm**

Option: **2-speed fan available**



RHAPSODY

Our smallest convection heater designed to heat approximately 185sq/m, the Rhapsody is perfect for a large 3 bedroom or smaller 4 bedroom home. Available in a range of 4 colours.

SPECIFICATIONS:

Width: **610mm**

Height: **695mm**

Depth: **530mm**

Weight: **129kg**

Heating Area: **185sq/m (20 squares)**

Max. Log Size: **450mm**

Option: **2-speed fan available**



JUMBO

Our largest convection heater designed to heat a massive 280sq/m, the Jumbo is perfect for big open areas. This heater is similar to the Innovator but offers a much deeper firebox to take larger logs. Available in a range of 4 colours.

SPECIFICATIONS:

Width: **730mm**

Height: **695mm**

Depth: **650mm**

Weight: **175kg**

Heating Area: **280sq/m (30 squares)**

Max. Log Size: **530mm**

Option: **2-speed fan available**



2-WAY INNOVATOR

A unique, double-sided, two door heater perfect for between two adjoining rooms i.e. Lounge, Dining / Kitchen, Family. With its massive firebox designed to take large logs, this unit will heat approximately 280sq/m. This model is also available as an in-built heater and both models come in a range of 4 colours.

.....

SPECIFICATIONS:

Width: 730mm/715mm*

Height: 695mm/610mm*

Depth: 795mm

Weight: 202kg

Heating Area: 280sq/m (30 squares)

Max. Log Size: 530mm

Option: 2-speed fan available

*In-Built Model



CONVECTOR

The Convector is based on the look of a radiant style heater with extra heat shields to make it a convection style. Designed with a large opening door to take the bigger logs, this heater will sufficiently heat up to 232sq/m. Available in a range of 4 colours.

.....

SPECIFICATIONS:

Width: 700mm

Height: 805mm

Depth: 540mm

Weight: 113kg

Heating Area: 232sq/m (25 squares)

Max. Log Size: 580mm

Option: Available on legs (Overall height 780mm)



CONVECTOR FANFORCED (SOLID COOKTOP)

The Convector Fan Forced shares all the great features of the Convector with the added benefit of a two speed fan and solid cook top surface. Available in a range of 4 colours..

.....

SPECIFICATIONS:

Width: 715mm

Height: 820mm

Depth: 540mm

Weight: 113kg

Heating Area: 232sq/m (25 squares)

Max. Log Size: 580mm



METALLIC BLACK

GOLDEN FIRE BROWN

METALLIC BLUE


MOSS GREEN



24CT GOLD DOOR



DROP BOX




FLOOR HEARTH



HEATER TOOL KIT



FLUE MESH



CHILD SAFETY GUARD



WOOD STORAGE BIN



HOT WATER COIL




FLUE GUARD

ES • ACCESSORIES • ACCESSORIES • ACCESSORIES • COLOUR RANGE • COLOUR RANGE • COLOUR RANGE

PREMIUM CONVECTION RANGE

Standard installation from combustible walls

If the floor is combustible (i.e. Carpet, vinyl, cork etc.) A hearth with 300mm front clearance is needed and 200mm from each side of the fuel loading opening. **A minimum 1000mm high half round safety flue guard is required for standard installation from a combustible wall.**




Note: Heaters may be closer to the wall if the wall is not combustible (i.e. brick or plastered brick), or if the wall is protected by an additional shield.

STANDARD CONVECTION RANGE

Standard installation from combustible walls

If the floor is combustible (i.e. Carpet, vinyl, cork etc.) A hearth with 300mm front clearance is needed and 200mm from each side of the fuel loading opening. **A minimum 1000mm high half round safety flue guard is required for standard installation from a combustible wall.**




Note: Heaters may be closer to the wall if the wall is not combustible (i.e. brick or plastered brick), or if the wall is protected by an additional shield.

RADIANT RANGE

Standard installation from combustible walls



If the floor is combustible (i.e. Carpet, vinyl, cork etc.) A hearth with 300mm front clearance is needed and 200mm from each side of the fuel loading opening. **A minimum 1000mm high half round safety flue guard is required for standard installation from a combustible wall.**




Note: Heaters may be closer to the wall if the wall is not combustible (i.e. brick or plastered brick), or if the wall is protected by an additional shield.

IN-BUILT RANGE

Note: Jarrahdale can custom fit the flue opening to your chimney's specifications



| FLUE CENTRES | JUMBO | INNOVATOR | RHAPSODY | CONVECTOR | PIONEER | SWAGMAN |
|--------------|-------|-----------|----------|-----------|---------|---------|
| CENTRE | 190mm | 170mm | 170mm | 170mm | 200mm | 180mm |
| DIAMETER | 150mm | 150mm | 150mm | 150mm | 150mm | 150mm |



Note: Radiant heater distance is taken from the back shield to the centre. Two-door heaters have their flue in the centre of the firebox as standard, but can have the flue offset a maximum of 102mm.



YOUR LOCAL
JARRADALE
AGENT IS: